

# Loss Prevention Certification Board

# LPCB

## This is to certify

### **STEELWAY FENSECURE LIMITED**

Queensgate Works, Bilston Road, Wolverhampton, West Midlands  
WV2 2NJ

is authorised to use the LPCB mark in association with the  
product(s) listed in this certificate and appendix.

**Steelway Level 1, 2 and 3  
Security Mesh Panel Systems**  
(refer to attached appendix for details)

which have complied with the requirements of the following:

**LPS 1175: Issue 7 - Requirements and testing procedures for the  
LPCB approval and listing of intruder resistant building components,  
strongpoints, security enclosures and free-standing barriers**


Certificate No. 1071b

Issue No. 01

Date of Issue 20 August 2012

This certificate is valid until withdrawn by LPCB.  
To check the validity and the authenticity of this certificate please  
visit our website [www.RedBookLive.com](http://www.RedBookLive.com) or contact us.

Signed on behalf of the LPCB



Name: P Dillon



LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100  
Fax +44 (0)1923 664603 [www.RedBookLive.com](http://www.RedBookLive.com)

This certificate remains the property of BRE Global Ltd and is issued subject to terms and conditions  
and is maintained and held in force through regular surveillance activities.

# Loss Prevention Certification Board

# LPCB

APPENDIX TO CERTIFICATE NO. 1071b

## STEELWAY FENSECURE LIMITED

### Modular Security Cage System


Product Name	Product Type	Minimum Height (m)	Maximum Height (m)	Minimum Width (m) <sup>1</sup>	Maximum Width (m)	Minimum Depth (m)	Maximum Depth (m)	Security Rating	LPCB Ref. No.
Steelway Level 1 Security Mesh Panel System	Cage formed from four sides and a ceiling	1.1	3.91	0.5	Unlimited	0.5	4.0	1	1071b/01
Steelway Level 2 Security Mesh Panel System	Cage formed from four sides and a ceiling	1.1	3.91	0.5	Unlimited	0.5	4.0	2	1071b/02
Steelway Level 3 Security Mesh Panel System	Cage formed from four sides and a ceiling	1.1	3.91	0.5	Unlimited	0.5	4.0	3	1071b/03

### System Components

Component	Type	Minimum Height (m)	Maximum Height (m)	Minimum Width (m)	Maximum Width (m)	Minimum Length (m)	Maximum Length (m)
Wall panel	Mesh wall panel	0.25	2.4	0.5	1.5	N/A	N/A
Roof panel	Mesh roof panel	N/A	N/A	0.25	1.5	0.25	3.8
Support post	Support post for walling system	1.0	3.8	0.215	0.215	N/A	N/A
Corner post	270 degree corner post for walling system	1.1	3.91	0.125	0.125	N/A	N/A
	90 degree corner post for walling system	1.1	3.91	0.11	0.11	N/A	N/A

This certificate is valid until withdrawn by LPCB.  
To check the validity and the authenticity of this certificate please visit our website [www.RedBookLive.com](http://www.RedBookLive.com) or contact us.

Signed on behalf of the LPCB



Page 2 of 3

Date of Issue 20 August 2012

Issue No. 01

Name: P Dillon

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100  
Fax +44 (0)1923 664603 [www.RedBookLive.com](http://www.RedBookLive.com)

This certificate remains the property of BRE Global Ltd and is issued subject to terms and conditions and is maintained and held in force through regular surveillance activities.



# Loss Prevention Certification Board

## LPCB

APPENDIX TO CERTIFICATE NO. 1071b

### STEELWAY FENSECURE LIMITED

#### System Components (continued)


Component	Type	Minimum Height (m)	Maximum Height (m)	Minimum Width (m)	Maximum Width (m)	Minimum Length (m)	Maximum Length (m)
Doorsets	Single leaf outward opening doorset	Refer to 'Steelway Level 1, 2 and 3' single leaf mesh security doorsets (LPCB Ref. No. 1071a/01, 03 and 05) for scope of approval.					
	Double leaf outward opening doorset	Refer to 'Steelway Level 1, 2 and 3' double leaf mesh security doorsets (LPCB Ref. No. 1071a/02, 04 and 06) for scope of approval.					

#### Notes:

1. The minimum width of an enclosure wall incorporating a doorset is 0.63 m.
2. The cage's resistance relies on the supporting substrate offering compatible resistance to manual attack.
3. The Steelway security mesh panel system is approved when installed in accordance with the instructions detailed on document E-INST001/SWAY (Issue 4).

This certificate is valid until withdrawn by LPCB.  
To check the validity and the authenticity of this certificate please visit our website [www.RedBookLive.com](http://www.RedBookLive.com) or contact us.

Signed on behalf of the LPCB



Name: P Dillon

Page 3 of 3

Date of Issue 20 August 2012

Issue No. 01

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100  
Fax +44 (0)1923 664603 [www.RedBookLive.com](http://www.RedBookLive.com)

This certificate remains the property of BRE Global Ltd and is issued subject to terms and conditions and is maintained and held in force through regular surveillance activities.