Loss Prevention Certification Board

LPCB This is to certify

STEELWAY FENSECURE LIMITED

Queensgate Works, Bilston Road, Wolverhampton, West Midlands WV2 2NJ

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix.

Steelway Level 4
Security Solid Panel System

(refer to attached appendix for details)

which have complied with the requirements of the following:

LPS 1175: Issue 7 - Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

Certificate No. 1071e

Issue No. 01

Date of Issue 20 August 2012

This certificate is valid until withdrawn by LPCB.

To check the validity and the authenticity of this certificate please visit our website www.RedBookLive.com or contact us.

Signed on behalf of the LPCB



Name: P Dillon

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100 Fax +44 (0)1923 664603 www.RedBookLive.com

This certificate remains the property of BRE Global Ltd and is issued subject to terms and conditions and is maintained and held in force through regular surveillance activities.

Loss Prevention Certification Board

LPCB

APPENDIX TO CERTIFICATE NO. 1071e

STEELWAY FENSECURE LIMITED

Modular Security Enclosure System

Product Name	Product Type	Minimum Height (m)	Maximum Height (m)	Minimum Width (m) ¹	Maximum Width (m)	Minimum Depth (m)	Maximum Depth (m)	Security Rating	LPCB Ref. No.
Steelway Level 4 Security Solid Panel System	Enclosure formed from four sides and a ceiling	1.1	3.91	0.5	Unlimited	0.5	4	4	1071e/01

System Components

Component	Туре	Minimum Height (m)	Maximum Height (m)	Minimum Width (m)	Maximum Width (m)	Minimum Length (m)	Maximum Length (m)			
Wall panel	Solid wall panel	0.25	2.4	0.5	1.5	N/A	N/A			
Roof panel	Solid roof panel	N/A	N/A	0.25	1.5	0.25	3.8			
Support post	Support post for walling system	1.0	3.8	0.215	0.215	N/A	N/A			
Corner post	270 degree corner post for walling system	1.1	3.91	0.125	0.125	N/A	N/A			
	90 degree corner post for walling system	1.1	3.91	0.11	0.11	N/A	N/A			
Doorsets	Single leaf outward opening plain leaf doorset	Refer to 'Steelway Level 4' single leaf security doorsets (LPCB Ref. No. 1071d/01) for scope of approval.								
	Double leaf outward opening plain leaf doorset	Refer to 'Steelway Level 4' double leaf security doorsets (LPCB Ref. No. 1071d/02) for scope of approval.								

This certificate is valid until withdrawn by LPCB. To check the validity and the authenticity of this certificate please visit our website www.RedBookLive.com or contact us.

Signed on behalf of the LPCB

Page 2 of 3

Date of Issue 20 August 2012

Issue No. 01

Name: P Dillon

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100 Fax +44 (0)1923 664603 www.RedBookLive.com

This certificate remains the property of BRE Global Ltd and is issued subject to terms and conditions and is maintained and held in force through regular surveillance activities.

Loss Prevention Certification Board

LPCB

APPENDIX TO CERTIFICATE NO. 1071e

STEELWAY FENSECURE LIMITED

Notes:

The minimum width of an enclosure wall incorporating a doorset is 0.63 m.

2. The enclosures resistance relies on the supporting substrate offering compatible resistance to manual attack.

3. The Steelway security solid panel system is approved when installed in accordance with the instructions detailed on document E-INST001/SWAY (Issue 4).

This certificate is valid until withdrawn by LPCB. To check the validity and the authenticity of this certificate please visit our website www.RedBookLive.com or contact us.

Signed on behalf of the LPCB

P.S. Mih

Page 3 of 3

Date of Issue 20 August 2012

Issue No. 01

Name: P Dillon

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100
Fax +44 (0)1923 664603 www.RedBookLive.com
This partition are selected as the second solution of the

This certificate remains the property of BRE Global Ltd and is issued subject to terms and conditions and is maintained and held in force through regular surveillance activities.