

Loss Prevention Certification Board

LPCB

This is to certify

STEELWAY FENSECURE LIMITED

Queensgate Works, Bilston Road, Wolverhampton, West Midlands
WV2 2NJ

is authorised to use the LPCB mark in association with the
product(s) listed in this certificate and appendix.

Steelway Level 4
Security Solid Panel System
(refer to attached appendix for details)

which have complied with the requirements of the following:

**LPS 1175: Issue 7 - Requirements and testing procedures for the
LPCB approval and listing of intruder resistant building components,
strongpoints, security enclosures and free-standing barriers**


Certificate No. 1071f

Issue No. 01

Date of Issue 20 August 2012

This certificate is valid until withdrawn by LPCB.
To check the validity and the authenticity of this certificate please
visit our website www.RedBookLive.com or contact us.

Signed on behalf of the LPCB



Name: P Dillon



LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100
Fax +44 (0)1923 664603 www.RedBookLive.com

This certificate remains the property of BRE Global Ltd and is issued subject to terms and conditions
and is maintained and held in force through regular surveillance activities.

Loss Prevention Certification Board

LPCB

APPENDIX TO CERTIFICATE NO. 1071f

STEELWAY FENSECURE LIMITED

Secure Partitioning System

Product Name	Product Type	Minimum Height (m)	Maximum Height (m)	Minimum Width (m)	Maximum Width (m)	Minimum Length (m)	Maximum Length (m)	Security Rating	LPCB Ref. No.
Steelway Level 4 Security Solid Panel System	Partition formed from wall panels supported by existing adjacent walls ¹	0.5 ²	3.8	0.5 ³	Unlimited	N/A	N/A	4	1071f/01
	Partition formed from wall and ceiling panels supported by existing adjacent walls ¹	0.61 ⁴	3.91	0.5 ³	Unlimited	0.5	4	4	
	Ceiling formed from ceiling panels	N/A	N/A	0.5	Unlimited	0.5	4	4	

This certificate is valid until withdrawn by LPCB.
To check the validity and the authenticity of this certificate please visit our website www.RedBookLive.com or contact us.

Signed on behalf of the LPCB



Page 2 of 3

Date of Issue 20 August 2012

Issue No. 01

Name: P Dillon

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100
Fax +44 (0)1923 664603 www.RedBookLive.com

This certificate remains the property of BRE Global Ltd and is issued subject to terms and conditions and is maintained and held in force through regular surveillance activities.

Loss Prevention Certification Board

LPCB

APPENDIX TO CERTIFICATE NO. 1071f

STEELWAY FENSECURE LIMITED

System Components

Component	Type	Minimum Height (m)	Maximum Height (m)	Minimum Width (m)	Maximum Width (m)	Minimum Length (m)	Maximum Length (m)
Wall panel	Solid wall panel	0.25	2.4	0.5	1.5	N/A	N/A
Ceiling panel	Solid ceiling panel	N/A	N/A	0.25	1.5	0.25	3.8
Support post	Support post for walling system	0.5	3.8	0.215	0.215	N/A	N/A
Corner post	270 degree corner post for walling system	0.5	3.8	0.125	0.125	N/A	N/A
	90 degree corner post for walling system	0.5	3.8	0.11	0.11	N/A	N/A
Doorsets ⁶	Single leaf outward opening plain leaf doorset	Refer to 'Steelway Level 4' single leaf security doorsets (LPCB Ref. No. 1071d/01) for scope of approval.					
	Double leaf outward opening plain leaf doorset	Refer to 'Steelway Level 4' double leaf security doorsets (LPCB Ref. No. 1071d/02) for scope of approval.					

Notes:

1. The walling system can either be constructed as a straight walling system or incorporate 90 or 270 degree angles in the wall line. This angle is measured between the attack faces of the two adjacent panels.
2. The minimum height of partitioning systems incorporating doorsets is 1.0 m.
3. The minimum width of walls incorporating doorsets is 0.63 m.
4. The minimum height of partitioning systems formed with a ceiling and incorporating doorsets is 1.1 m.
5. The doorsets are not designed to be fitted within the ceiling system.
6. The partitioning system's resistance relies on the supporting substrate offering compatible resistance to manual attack.
7. The Steelway security solid panel systems are approved when installed in accordance with the instructions detailed in documents E-INST002/SWAY (Issue 5) and E-INST003/SWAY (Issue 5).

This certificate is valid until withdrawn by LPCB.

To check the validity and the authenticity of this certificate please visit our website www.RedBookLive.com or contact us.

Signed on behalf of the LPCB



Name: P Dillon

Page 3 of 3

Date of Issue 20 August 2012

Issue No. 01

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100

Fax +44 (0)1923 664603 www.RedBookLive.com

This certificate remains the property of BRE Global Ltd and is issued subject to terms and conditions and is maintained and held in force through regular surveillance activities.