

Loss Prevention Certification Board

LPCB

This is to certify

STEELWAY FENSECURE LIMITED

Queensgate Works, Bilston Road, Wolverhampton, West Midlands
WV2 2NJ

is authorised to use the LPCB mark in association with the
product(s) listed in this certificate and appendix.

**'Steelway Anti-Intruder'
fixed security barsets**

(refer to attached appendix for details)

which have complied with the requirements of the following:

**LPS 1175: Issue 7 - Requirements and testing procedures for the
LPCB approval and listing of intruder resistant building components,
strongpoints, security enclosures and free-standing barriers**


Certificate No. 1071g

Issue No. 01

Date of Issue 20 August 2012

This certificate is valid until withdrawn by LPCB.
To check the validity and the authenticity of this certificate please
visit our website www.RedBookLive.com or contact us.

Signed on behalf of the LPCB



Name: P Dillon



LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100
Fax +44 (0)1923 664603 www.RedBookLive.com

This certificate remains the property of BRE Global Ltd and is issued subject to terms and conditions
and is maintained and held in force through regular surveillance activities.

Loss Prevention Certification Board

LPCB

APPENDIX TO CERTIFICATE NO. 1071g

STEELWAY FENSECURE LIMITED

Fixed Security Barsets

Product Name	Product Type	Installation	Minimum Height (m)	Maximum Height (m)	Minimum Width (m)	Maximum Width (m)	Security Rating	LPCB Ref. No.
'Steelway Anti-Intruder'	Individual security barset	Reveal mounted	0.55	2.1	0.55	2.1	3	1071g/01
		External face fixed	0.45	2.0	0.45	2.0	3	
		Internal face fixed	0.45	2.0	0.45	2.0	3	
	Modular security barset	Reveal mounted	0.55	Unlimited ¹	0.55	Unlimited ¹	3	
		External face fixed	0.45	Unlimited ¹	0.45	Unlimited ¹	3	
		Internal face fixed	0.45	Unlimited ¹	0.45	Unlimited ¹	3	

Notes:

1. The maximum minor dimension approved is 4.1 m. This is because the number of individual barsets that can be connected is restricted to a maximum of two in the minor dimension. However, the barset's size is unrestricted in the major direction.
2. The barsets are approved when installed in accordance with the instructions detailed on document SB/3BS/INS/SWAY (Issue 6).

This certificate is valid until withdrawn by LPCB.

To check the validity and the authenticity of this certificate please visit our website www.RedBookLive.com or contact us.

Signed on behalf of the LPCB



Name: P Dillon

Page 2 of 2

Date of Issue 20 August 2012

Issue No. 01

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100

Fax +44 (0)1923 664603 www.RedBookLive.com

This certificate remains the property of BRE Global Ltd and is issued subject to terms and conditions and is maintained and held in force through regular surveillance activities.